CAMS Session #1 (SSF-4) Initial Session

Assessment (approximately 30 minutes)		
	Broach topic of suicide early in the session (within first 5 minutes).	
	Introduce the "Suicide Status Form"—"Initial Session"—and request	
	permission to sit next to patient.	
	Take a seat next to the patient and complete SSF pg. 1 Section A (done by	
	the <u>patient</u> with the clinician's help)	
	Complete SSF pg. 2 Section B (done by the <u>clinician</u> with patient's help)	
Treatment Planning (approximately 20 minutes)		
	Introduce treatment planning and complete SSF Section C (done by the	
	<u>clinician</u> with patient's help).	
	Address Problem #1 by developing a Stabilization Plan using the CAMS	
	"Stabilization Plan" form (alternatively you may use a "Safety Plan," or a	
	"Crisis Response Plan" or another appropriate stabilization template).	
	Identify two suicide-causing problems as Problems #2 and #3 respectively	
	and write in goals/objectives, interventions, and anticipated duration.	
	Introduce the notion of suicidal "drivers" related to Problems 2 and 3.	
	Patient and clinician sign form; make copies of SSF pgs. 1-2 (Sections A-C)	
	and the SSF Stabilization Plan and give to the patient before they leave	
	(alternatively the patient may take pictures of these documents on their	
	smart phone).	
Further Documentation (approximately 5 minutes)		
	Clinician completes SSF Section D after session; the entire SSF Initial Session	
	(including the SSF Stabilization Plan if used) is then scanned into the	
	electronic medical records (Sections A-D).	

CAMS Session #2 (SSF-4) Tracking/Update Interim Session

<u>Assessment</u> (approximately 60 seconds)		
☐ At the start of session, have the patient complete "Tracking/Update Interim Session" form Section A.		
☐ Review the Section A assessment ratings and get a sense of how the patient has done since the last meeting.		
Within Session Focus (approximately 40 minutes)		
$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $		
during the previous week. Modify as needed.		
☐ Further introduce CAMS conceptualization of suicidal "drivers"		
Indirect Drivers → Direct Drivers → Suicidal Behaviors		
☐ Bulk of the focus should be on targeting and treating the suicidal drivers—		
(optional to collaboratively work on aspects of the "CAMS Therapeutic Worksheet" with the patient).		
\Box Emphasis should be on addressing direct drivers during the 2 nd session, as		
these are most pertinent to the patient's suicidal ideation/behaviors.		
<u>Treatment Planning</u> (approximately 10 minutes)		
 End session by collaboratively completing Section B of the CAMS Tracking/Update Interim Session form. 		
☐ Re-visit the most pressing suicide problems as a continued focus of		
treatment and modify as needed.		
☐ Patient and clinician sign form; copy for the patient (or take picture).		
<u>Further Documentation</u> (approximately 5 minutes)		
☐ Clinician completes CAMS Tracking/Update Interim Session Section C after		
session; entire form is scanned into electronic record (Sections A-C).		

All CAMS (SSF-4) Tracking/Update Interim Sessions

Assessment (approximately 60 seconds)		
	At the start of session, have the patient complete "Tracking/Update Interim Session" form Section A.	
	Review the Section A assessment ratings and get a sense of how the patient has done since the last meeting.	
Within Session Focus (approximately 40 minutes)		
	Focus on the CAMS Stabilization Plan, asking what did and did not work during the previous week. Modify as needed.	
	Bulk of the focus should be on targeting and treating the suicidal drivers (optional to use/update CAMS Therapeutic Worksheet with the patient).	
	Emphasis should remain on addressing direct drivers during on-going treatment sessions, with possibility of focusing on indirect drivers as	
	determined by the dyad.	
<u>Treatment Planning</u> (approximately 10 minutes)		
	End session by collaboratively completing Section B of the CAMS "(SSF-4) Tracking/Update Interim Session" form.	
	Determine if resolution criteria are being met.	
	Patient and clinician sign form; make patient copy (or have patient make a picture copy).	
<u>Further Documentation</u> (approximately 5 minutes)		
	Clinician complete CAMS Tracking/Update Interim Session Section C <i>after</i> session; entire form scanned into electronic medical record (Sections A-C).	

CAMS (SSF-4) Outcome/Disposition Final Session

Asses	<u>sment</u> (approximately 10 minutes)
	If patient meets criteria for "resolution" (defined as three consecutive
	sessions where current overall risk of suicide <3, the patient reports no
	suicidal behavior, and the patient has effectively managed suicidal
	thoughts/feelings), patient completes "Outcome/Disposition Final Session"
	form Section A.
	Clinician confirms resolution criteria are indeed met. If criteria are not
	met, conduct session as CAMS Tracking/Update Interim session (and
	monitor for resolution criteria to be reached at some future point).
With	<u>iin Session Focus</u> (approximately 40 minutes)
	Review what has been helpful.
	Review what the patient will do should they become suicidal in the future
	Discuss plans, goals, and hope for the future.
Trea	tment Planning (approximately 10 minutes)
	End session by collaboratively completing Section B of the CAMS
	Outcome/Disposition Final Session form.
	Discuss outcome and disposition, and any follow-on care.
	Patient/clinician sign form; make a copy for the patient (or have patient
	make a picture copy).
<u>Furth</u>	<u>er Documentation</u> (approximately 5 minutes)
	Clinician completes CAMS Outcome/Disposition Final Session form Section
	C after session; entire form scanned into electronic records (Sections A-C).